






安装套件 GN 965 / GN 968	A 型 	B 型 	C 型 	D 型 	A 型 	B 型 	C 型 	D 型 	
兼容的GN系列标准件 按升序排列 标准数字									
铰链 GN 127 见页面 1397)									
 GN 127-...-B	- GN 965-8-M6-20-B				- GN 968-10-M6-20-B ¹⁾				
安装板 GN 139.3 (带/不带安全开关GN 139.1 / GN 139.2的铰链) (见页面 1444)									
 GN 139.3-170	GN 965-6-M6-12-A GN 965-8-M6-14-A				GN 968-8-M6-10-A GN 968-10-M6-14-A				
安装板 GN 139.4 (带/不带安全开关GN 139.1 / GN 139.2的铰链) (见页面 1444)									
 GN 139.4-101	GN 965-6-M6-12-A GN 965-8-M6-14-A				GN 968-8-M6-10-A GN 968-10-M6-14-A				
法兰接头夹具 GN 145 (见页面 1821)									
 GN 145-...	- GN 965-8-M5-16-A				- GN 968-10-M5-18-A				
铰链 CFA-SL (见页面 1373)									
 CFA.65-SL-...	- GN 965-8-M6-18-A				- GN 968-10-M6-18-A ¹⁾				
铰链 CFG. (见页面 1406)									
	CFG.30/30 SH-6	GN 965-6-M6-16-B -				GN 968-8-M6-16-B -			
	CFG.40/40 SH-6	- GN 965-8-M6-18-B				- GN 968-10-M6-18-B ¹⁾			
	CFG.45/45 SH-6	- -				- GN 968-10-M6-18-B ²⁾			



¹⁾ 仅适用于型材40x40 ²⁾ 仅适用于型材45 x 45

技术参数

GN 965 / GN 968 – 型材系统30/40/45的安装套件 (续)

安装套件 GN 965 / GN 968		A 型	B 型	C 型	D 型	A 型	B 型	C 型	D 型
									
兼容的GN系列标准件 按升序排列 标准数字									
双铰链 CFI. (见页面 1408)									
	CFI.30-30/30 SH-6 CFI.40-40/40 SH-6 CFI.45-45/45 SH-6	GN 965-6-M6-16-B – – –		– GN 965-8-M6-18-B –		GN 968-8-M6-16-B – – –		– GN 968-10-M6-18-B ¹⁾ GN 968-10-M6-18-B ²⁾	
铰链 GN 161 (见页面 1410)									
	GN 161-57 / 68 / 80	–		GN 965-8-M6-16-B		GN 968-8-M6-14-B		GN 968-10-M6-18-B	
底板接头夹具 GN 162.3 (见页面 1828)									
	GN 162.3-...	GN 965-6-M5-16-A		GN 965-8-M5-18-A		GN 968-8-M5-14-A		GN 968-10-M5-18-A	
连接夹 MSX. (见页面 1906)									
	MSX.56-B-8-10 MSX.56-B-10-12 MSX.56-B-12-14	GN 965-6-M6-12-A GN 965-6-M6-12-A GN 965-6-M6-12-A		GN 965-8-M6-14-A GN 965-8-M6-14-A GN 965-8-M6-14-A		GN 968-8-M6-10-A GN 968-8-M6-10-A GN 968-8-M6-10-A		GN 968-10-M6-14-A GN 968-10-M6-14-A GN 968-10-M6-14-A	
用于U形机柜手柄的紧固套件GN 181 (见页面 488)									
	GN 181-ZD-8-M4-... GN 181-ZD-10-M5-... GN 181-ZD-...-M6-... GN 181-ZD-...-M8-...	GN 965-6-M4-10-B – GN 965-6-M5-12-B GN 965-6-M6-12-B –		– GN 965-8-M5-14-B GN 965-8-M6-14-B GN 965-8-M8-16-B		– GN 968-8-M5-12-B GN 968-8-M6-12-B –		– – GN 968-10-M6-16-B GN 968-10-M8-16-B	
管支架 GN 231 (见页面 1844)									
	GN 231-B20 / B25 / B30 GN 231-V20 / V25 / V30	– –		GN 965-8-M8-14-A GN 965-8-M8-14-A		– –		GN 968-10-M8-14-A GN 968-10-M8-14-A	




¹⁾ 仅适用于型材40x40 ²⁾ 仅适用于型材45 x 45





安装套件 GN 965 / GN 968		A 型	B 型	C 型	D 型	A 型	B 型	C 型	D 型
									
兼容的GN系列标准件 按升序排列 标准数字									
铰链 CFR. (见页面 1396)									
	CFR.60 SH-6	-	GN 965-8-M6-20-B				-	GN 968-10-M6-20-B ¹⁾	
铰链 CFM. (见页面 1382)									
	CFM.60-45-SH-6	-	GN 965-8-M6-18-B				-	GN 968-10-M6-18-B ¹⁾	
带内置安全开关CFSQ的铰链。(见页面 1436)									
	CFSQ.60-SH-6-...	-	GN 965-8-M6-18-B				-	GN 968-10-M6-18-B ¹⁾	
带内置多重安全开关CFSW的铰链。(见页面 1428)									
	CFSW.110-6-...	-	GN 965-8-M6-18-B				-	GN 968-10-M6-18-B ¹⁾	
铰链 CFMW. (见页面 1434)									
	CFMW.70-SH-6	-	GN 965-8-M6-18-B				-	GN 968-10-M6-18-B ¹⁾	
	CFMW.110-SH-6	-	-				-	GN 968-10-M6-18-B ¹⁾	
用于铰链CFSW的安装板PMW。/ CFMW. (见页面 1433)									
	PMW.110-30	GN 965-6-M6-16-B	-	GN 965-8-M6-18-B			GN 968-8-M6-14-B	-	GN 968-10-M6-18-B
	PMW.110-40	-	-				-	GN 968-10-M6-18-B	
	PMW.110-45	-	-				-	GN 968-10-M6-18-B	
旋转夹具接头底座 GN 271 (见页面 1847)									
	GN 271-25-...	-	GN 965-8-M5-18-A				-	GN 968-10-M5-18-A	

¹⁾ 仅适用于型材40x40

技术参数

GN 965 / GN 968 – 型材系统30/40/45的安装套件 (续)



安装套件 GN 965 / GN 968		A 型	B 型	C 型	D 型	A 型	B 型	C 型	D 型
									
兼容的GN系列标准件 按升序排列 标准数字									
传感器支架 GN 271.4 (见页面 1872)									
	GN 271.4-B12-... GN 271.4-B18-...	- -	GN 965-8-M5-18-A GN 965-8-M8-18-A			- -	GN 968-10-M5-18-A GN 968-10-M8-18-A		
旋转夹具接头连接 GN 281 (见页面 1859)									
	GN 281-...	-	GN 965-8-M5-18-A			-	GN 968-10-M5-18-A		
管状手柄 GN 333 (见页面 498)									
	GN 333-28-...-B-...	-	GN 965-8-M6-28-A			GN 968-8-M6-25-A	GN 968-10-M6-28-A		
管状手柄 GN 333.1 (见页面 496)									
	GN 333.1-28-...-B-...	GN 965-6-M6-14-C	GN 965-8-M6-16-C			GN 968-8-M6-14-C	GN 968-10-M6-18-C		
椭圆形管状手柄 GN 334.1 (见页面 523)									
	GN 334.1-36-...	-	GN 965-8-M8-16-C			-	GN 968-10-M8-16-C		
分度销 GN 412 (见页面 789)									
	GN 412-5-35-...-1 GN 412-6-35-...-1 GN 412-8-47-...-1 GN 412-10-47-...-1	GN 965-6-M4-16-A GN 965-6-M4-16-A GN 965-6-M5-18-A GN 965-6-M5-18-A	- - GN 965-8-M5-20-A GN 965-8-M5-20-A			- - GN 968-6-M5-18-A GN 968-6-M5-18-A	- - GN 968-8-M5-20-A GN 968-8-M5-20-A		
安装块 GN 412.1 (见页面 814)									
	GN 412.1-35-...-1 GN 412.1-47-...-1	GN 965-6-M4-16-A GN 965-6-M5-18-A	- GN 965-8-M5-20-A			- GN 968-8-M5-18-A	- -		


安装套件 GN 965 / GN 968		A 型	B 型	C 型	D 型	A 型	B 型	C 型	D 型
									
兼容的GN系列标准件 按升序排列 标准数字									
弹簧门 GN 416 (见页面 790)									
	GN 416-6-38-... GN 416-8-38-... GN 416-8-46-... GN 416-10-38-... GN 416-10-46-... GN 416-12-46-...	GN 965-6-M5-14-A GN 965-6-M5-14-A - GN 965-6-M5-14-A - -	GN 965-8-M5-16-A GN 965-8-M5-16-A GN 965-8-M6-16-A GN 965-8-M5-16-A GN 965-8-M6-16-A GN 965-8-M6-16-A	GN 968-8-M5-14-A GN 968-8-M5-14-A - GN 968-8-M5-14-A - -	GN 968-10-M5-18-A GN 968-10-M5-18-A GN 968-10-M6-18-A GN 968-10-M5-18-A GN 968-10-M6-18-A GN 968-10-M6-18-A				
定位器 GN 416.1 (见页面 791)									
	GN 416.1-6-38 GN 416.1-8-38 GN 416.1-8-46 GN 416.1-10-38 GN 416.1-10-46 GN 416.1-12-46	GN 965-6-M5-14-A GN 965-6-M5-14-A - GN 965-6-M5-14-A - -	GN 965-8-M5-16-A GN 965-8-M5-16-A GN 965-8-M6-16-A GN 965-8-M5-16-A GN 965-8-M6-16-A GN 965-8-M6-16-A	GN 968-8-M5-14-A GN 968-8-M5-14-A - GN 968-8-M5-14-A - -	GN 968-10-M5-18-A GN 968-10-M5-18-A GN 968-10-M6-18-A GN 968-10-M5-18-A GN 968-10-M6-18-A GN 968-10-M6-18-A				
分度销 GN 417 (见页面 792)									
	GN 417-5-A / -B / -C GN 417-6-A / -B / -C GN 417-8-A / -B GN 417-8-C GN 417-10-A / -B / -C	GN 965-6-M4-12-A GN 965-6-M5-14-A GN 965-6-M5-14-A - -	- GN 965-8-M5-16-A GN 965-8-M5-16-A GN 965-8-M5-16-A GN 965-8-M6-16-A	GN 968-8-M4-12-A GN 968-8-M5-14-A GN 968-8-M5-14-A - -	- GN 968-10-M5-18-A GN 968-10-M6-18-A GN 968-10-M5-18-A GN 968-10-M6-18-A				
定位器 GN 417.1 (见页面 794)									
	GN 417.1-5 GN 417.1-6 GN 417.1-8 GN 417.1-10	GN 965-6-M4-12-A GN 965-6-M5-14-A GN 965-6-M5-14-A -	- GN 965-8-M5-16-A GN 965-8-M5-16-A GN 965-8-M6-16-A	GN 968-8-M4-12-A GN 968-8-M5-14-A GN 968-8-M5-14-A -	- GN 968-10-M5-18-A GN 968-10-M5-18-A GN 968-10-M6-18-A				
底座夹具配件 GN 473 (见页面 1878)									
	GN 473-B8-... GN 473-B10 / B12-... GN 473-B15 / B16-... GN 473-B20-...	GN 965-6-M4-10-A - - -	GN 965-8-M4-14-A GN 965-8-M5-12-A - GN 965-8-M6-18-A	GN 968-8-M4-10-A - - -	GN 968-10-M4-14-A GN 968-10-M5-14-A GN 968-10-M6-14-A GN 968-10-M6-18-A				
夹具配件 GN 477 (见页面 1879)									
	GN 477-B8-... GN 477-B10 / B12-... GN 477-B15 / B16 / B20-...	GN 965-6-M4-16-A GN 965-6-M5-18-A GN 965-6-M6-20-A	GN 965-8-M4-20-A GN 965-8-M5-20-A GN 965-8-M6-22-A	GN 968-8-M4-16-A GN 968-8-M5-18-A GN 968-8-M6-20-A	- GN 968-10-M5-20-A GN 968-10-M6-22-A				



技术参数

GN 965 / GN 968 – 型材系统30/40/45的安装套件 (续)

安装套件 GN 965 / GN 968		A 型	B 型	C 型	D 型	A 型	B 型	C 型	D 型
									
兼容的GN系列标准件 按升序排列 标准数字									
法兰螺栓 GN 480 (见页面 1885)									
	GN 480-8-... GN 480-10 / 12-... GN 480-15 / 16 / 20-...	GN 965-6-M4-10-A GN 965-6-M5-10-A GN 965-6-M6-12-A	GN 965-8-M4-12-A GN 965-8-M5-12-A GN 965-8-M6-14-A	GN 968-8-M4-10-A GN 968-8-M5-10-A GN 968-8-M6-12-A	- GN 968-10-M5-12-A GN 968-10-M6-14-A				
桥接手柄 M.443 CH / M.443 N-CH / M.443 AE-V0 / M.443-ESD (见页面 435)									
	M.443/110-... M.443/140-6-... M.443/140-8-... M.443/145-... M.443/150-... M.443/170-... M.443/180-... M.443/190-... M.443/200-... M.443/260-...	GN 965-6-M6-14-A GN 965-6-M6-16-A - - - - - - - -	GN 965-8-M6-16-A GN 965-8-M6-16-A GN 965-8-M8-18-A - GN 965-8-M8-18-A GN 965-8-M8-18-A GN 965-8-M8-20-A GN 965-8-M8-20-A - -	GN 968-8-M6-14-A GN 968-8-M6-16-A - - - - - - - -	GN 968-10-M6-16-A GN 968-10-M6-20-A GN 968-10-M8-16-A GN 968-10-M8-16-A GN 968-10-M8-18-A GN 968-10-M8-18-A GN 968-10-M8-20-A GN 968-10-M8-20-A GN 968-10-M8-20-A GN 968-10-M8-20-A				
Angles SQT. (见页面 1899)									
	SQT.40-18-...-8 SQT.40-25-...-8 SQT.43-43-A-8	- - -	GN 965-8-M8-18-C GN 965-8-M8-18-C -	GN 968-8-M6-14-C GN 968-8-M6-14-C -	- - GN 968-10-M8-18-C				
U形机柜手柄 GN 565.1 (见页面 416)									
	GN 565.1-20-... GN 565.1-26-...	GN 965-6-M5-22-A -	- GN 965-8-M6-22-A	GN 968-8-M5-20-A -	- GN 968-10-M6-22-A				
斜置式U形手柄 GN 565.2 (见页面 417)									
	GN 565.2-26-128-B-... GN 565.2-26-160-B-...	- -	GN 965-8-M6-22-C GN 965-8-M6-22-C	- -	GN 968-10-M6-22-C GN 968-10-M6-22-C				
凸轮动作分度销 GN 612.2 (见页面 830)									
	GN 612.2-...-16-... GN 612.2-...-20-...	GN 965-6-M5-18-A GN 965-6-M5-22-A	GN 965-8-M5-22-A GN 965-8-M5-25-A	GN 968-8-M5-18-A GN 968-8-M5-22-A	- GN 968-10-M5-25-A				

安装套件 GN 965 / GN 968		A 型	B 型	C 型	D 型	A 型	B 型	C 型	D 型
									
兼容的GN系列标准件 按升序排列 标准数字									
凸轮动作分度销 GN 612.9 (见页面 831)									
	GN 612.9-...-16-... GN 612.9-...-20-...	GN 965-6-M5-18-A GN 965-6-M5-22-A	GN 965-8-M5-20-A GN 965-8-M5-25-A		GN 968-8-M5-18-A GN 968-8-M5-22-A		– GN 968-10-M5-25-A		
桥接手柄 EBP. (见页面 428)									
	EBP.110-6-... EBP.140-6-... EBP.140-8-... EBP.150-8-... EBP.180-8-... EBP.200-8-...	GN 965-6-M6-16-A – – –	– GN 965-8-M8-28-A GN 965-8-M8-28-A GN 965-8-M8-28-A		GN 968-8-M6-14-A – – –		– GN 968-10-M8-28-A GN 968-10-M8-28-A GN 968-10-M8-28-A		
防护安全手柄 ESP. (见页面 476)									
	ESP.110-EH-... ESP.110-SH-...	GN 965-6-M6-16-A GN 965-6-M6-18-B	GN 965-8-M6-18-A GN 965-8-M6-22-B		GN 968-8-M6-16-A GN 968-8-M6-18-B		GN 968-10-M6-20-A GN 968-10-M6-22-B		
防护翼形手柄 EWP. (见页面 477)									
	EWP.110-EH EWP.110-SH	GN 965-6-M6-16-A GN 965-6-M6-18-B	GN 965-8-M6-18-A GN 965-8-M6-22-B		GN 968-8-M6-16-A GN 968-8-M6-18-B		GN 968-10-M6-20-A GN 968-10-M6-22-B		
面板支架夹 PC (见页面 1340)									
	PC.35	GN 965-6-M6-10-D	GN 965-8-M6-14-D		GN 968-8-M6-10-D		GN 968-10-M6-14-D		
U形机柜手柄 M.1043 (见页面 514)									
	M.1043/20-...	–	GN 965-8-M8-20-A		–		GN 968-10-M8-20-A		
U形机柜手柄 M.1053 (见页面 515)									
	M.1053 M.1053-P	– –	GN 965-8-M8-20-A GN 965-8-M8-20-A		– –		GN 968-10-M8-20-A GN 968-10-M8-20-A		

技术参数

GN 965 / GN 968 – 型材系统30/40/45的安装套件 (续)

安装套件 GN 965 / GN 968		A 型	B 型	C 型	D 型	A 型	B 型	C 型	D 型
									
兼容的GN系列标准件 按升序排列 标准数字									
弹簧门 GN 722.3 (见页面 832)									
	GN 722.3-8-... GN 722.3-10-... GN 722.3-12-... GN 722.3-14-...	- - - -		GN 965-8-M6-18-A GN 965-8-M6-18-A GN 965-8-M6-18-A GN 965-8-M6-18-A		- - - -		GN 968-10-M6-18-A GN 968-10-M6-18-A GN 968-10-M6-18-A GN 968-10-M6-18-A	
U形机柜手柄 GN 728 (见页面 441)									
	GN 728-120-B-... GN 728-180-B-...	GN 965-6-M6-14-A -	- GN 965-8-M8-18-A			GN 968-8-M6-14-A -	- GN 968-10-M8-18-A		
不锈钢-U形机柜手柄 GN 728.5 (见页面 441)									
	GN 728.5-120-B-...	GN 965-6-M6-14-A	-			GN 968-8-M6-14-A	-		
角度块/卸扣 GN 967 (见页面 1000)									
	GN 967-...-20-...-1-... GN 967-...-20-...-2-... GN 967-...-30-...-1-... GN 967-...-30-...-2-... GN 967-...-40-...-1-... GN 967-...-40-...-2-... GN 967-...-45-...-1-... GN 967-...-45-...-2-...	GN 965-6-M5-12-A GN 965-6-M5-12-B GN 965-6-M6-12-A GN 965-6-M6-12-B - - - -	GN 965-8-M5-14-A GN 965-8-M5-14-B GN 965-8-M6-14-A GN 965-8-M6-14-B GN 965-8-M8-16-A GN 965-8-M8-16-B GN 965-8-M8-16-A GN 965-8-M8-16-B			GN 968-8-M5-12-A GN 968-8-M5-12-B GN 968-8-M6-12-A GN 968-8-M6-12-B - - - -	GN 968-10-M5-14-A GN 968-10-M5-14-B GN 968-10-M6-14-A GN 968-10-M6-14-B GN 968-10-M8-16-A GN 968-10-M8-16-B GN 968-10-M8-16-A GN 968-10-M8-16-B		
螺纹法兰 GN 3490 (见页面 1012)									
	GN 3490-45-... GN 3490-60-...	GN 965-6-M6-14-B -	- GN 965-8-M8-16-B			GN 968-6-M6-14-B -	GN 968-8-M8-16-B GN 968-8-M8-16-B		